

Honeywell Home

The perfect fit




evohome smart multi-zone system

A smart, connected heating system offering control of up to 12 heating zones and hot water. Helping customers manage their comfort level and heating costs in a way that suits them.



- Scalable system - can be used as a single zone thermostat or can control up to 12 heating zones
- Ability to control hot water, time and temperature
- This system can also control underfloor heating



Non-programmable thermostats

Reliability, application flexibility and ease of installation.



DT4 Room Thermostat

- Compatible with OpenTherm gas boilers, combi boilers plus hybrid and green heating systems, including heat pumps
- Save your customer up to 10% on their heating bill when upgrading on a mechanical thermostat**
- Wired, wireless and OpenTherm* models available



Mechanical Room Thermostat

- 10-30°C set point range
- Switches up to 10 Amp
- Multiple options available including 16 Amp switching model

**Source BEAMA, based on test environment using a time clock, Class I on/off room thermostat and manual radiator valves, in an end-terrace/semi-detached house. Upgrade from a mechanical thermostat to a load compensating thermostat.

Smart programmable thermostats

With our smart thermostat and Resideo app, you're in complete control of your home's temperature — whether you're relaxing on the sofa or miles away. Comfort at home, energy savings when away. It's that simple.



T6R Series

- 2 channel, controls heating and hot water
- Geofencing technology
- Smart home integration
- WiFi not required to work as a standard programmable thermostat
- Wall mounted or table stand



Programmable thermostats

Empower your customers to save energy while maintaining comfort in their homes.



T4 Series

- 6 time schedules
- Holiday mode
- Lockable keypad
- Wireless (T4R), wired (T4) & OpenTherm* (T4M) version available



T3 Series

- 4 time schedules
- Built-in service reminder
- Wireless (T3R), wired (T3) & OpenTherm* (T3M) version available
- Works with heat pumps



Programmiers

Wired time control

For independent heating control with up to seven day programming and 3 on/off periods.



2 channel programmer



1 channel timer



2 zone programmer

Wireless enabled time and temperature control

A two-way wireless receiver built into the timer avoiding the need to wire extra receivers into the heating system.



Sundial RF² packs

- Products wirelessly pre-bound in the box
- Fits on industry standard back plate
- A pack to cover the majority of systems
- Packs 1 & 5 comply with Boiler Plus
- Simply fit the timer and everything else is wirelessly enabled on the system




| SUNDIAL RF2 PACK | APPLICATION |
|--|---|
| Sundial RF ² Pack One - Y9120H2009 | Ideal for adding a room thermostat to combi-boilers and single heating zones |
| Sundial RF ² Pack Two - Y9420H1008 | Ideal for adding a room thermostat to an existing system that has stored hot water |
| Sundial RF ² Pack Three - Y9420S2005 | Ideal for adding a room thermostat and cylinder thermostat to new and existing systems |
| Sundial RF ² Pack Four - Y9120W1000 | Ideal for adding a hot water timer and cylinder thermostat to new and existing Sundial systems, or upgrading a gravity hot water system |
| Sundial RF ² - Pack Five - Y9520Z1007 | Ideal for providing two heating zones |

Underfloor heating

HCC100 Underfloor Multi-Zone Controller

Helps to control and balance a whole home system for efficient energy consumption. This all-in-one solution can be fitted with either wired or wireless Honeywell Home thermostats. In combination with evohome WiFi, the HCC100 offers even more control options.



- Works with evohome system
- 20 selectable outputs for controlling hose groups via thermal motors
- Up to 8 individually controlled temperature zones with Honeywell Home thermostats, up to 6 of which can be wired
- Easy to configure via the Resideo Pro app

Thermal actuator

The MT4-HCC thermal actuators provide optimum control performance in combination with the HCC100.

The MT4 has been extensively tested and can be applied to almost all manifolds.



Motorised valves and spares

Providing superior quality and reliability, that installers have come to expect. Available in a range of models to meet all system requirements.

- Removable head and replaceable motor
- Durable rotating ball provides tight valve shut off
- Quiet operation and minimal power consumption
- 22mm zone valves, now available in twin pack
- Manual lever for filling and draining the system
- Manufactured in Europe since 2010



TRVs

TRVs significantly reduce the energy used by the heating system by limiting the temperatures within each room.

- A-Rated energy saving performance*
- Bi-directional flow valves
- Matching lockshield
- Various sizes and fittings available
- TRV balancing app available to help make the heating system work more effectively and efficiently



Valves and automatic air vent


Pressure reducing valves are designed to protect household appliances against excessive supply pressures. Automatic bypass valves reduce system noise and maintains an even system pressure. The automatic air vent offers extra protection to keep heating and non-heating systems operating efficiently.



L Series - Water leak and freeze protection

Wirelessly link L1 and L5 together to give whole house protection

The L1 Water Leak and Freeze Detector and the L5 Shutoff Valve alert customers to leaking or freezing pipes




L1 WiFi Water Leak & Freeze Detector

- Includes a 1.5 m cable that senses water along its entire length
- Extend coverage up to 152m by connecting additional sensing cables



L5 WiFi Water Leak Shutoff Valve

- Shuts off water supply when water is detected
- Resideo Smart Home app notifies the user of any leak or shutoff events




Smoke, heat and CO alarms

Invisible threats such as fire, smoke and noxious gases can put people at risk. Our comprehensive line of standalone and interconnected smoke, heat and carbon monoxide detectors will help keep the home safe.

The range of interconnected alarms can be wirelessly linked to each other, so when one alarm is triggered they all sound, maximising the alert in the event of an activation.

- Super-slim design (R200C/R200C-N/R200S only)
- Audible and visual red 'ALARM' text for the deaf and hearing-impaired
- Easy to create a connected home (up to 12 alarms interconnected)
- Interconnected alarms come with built-in wireless module
- High-reliability alarm system for customers who look for advanced safety features
- Ideal for houses, apartments, and caravans where several alarms are needed



Heat and smoke alarms




R200S
Smoke alarm



R200S-N
Smoke alarm (interconnected)



R200H-N
Heat alarm (interconnected)



R200ST-N
Heat & smoke alarm (interconnected)

CO alarms



R200C
CO alarm




R200C-N
CO alarm (interconnected)

One-Go-All-Go technology



Honeywell Home

evohome system builder



Configure tailor-made heating solutions effortlessly



Find out more, visit evohome.resideo.com

© 2026 Resideo Technologies, Inc. All rights reserved.
The Honeywell Home trademark is used under license from Honeywell International Inc.
This product is manufactured by Resideo Technologies, Inc. and its affiliates.

resideo academy

The right training for the right job, delivered the right way

Resideo Academy supports heating, plumbing and security professionals with training from our industry and product experts, enabling you to develop the skills you need to be successful.



Resideo Academy App


Scan the QR code to download the Resideo Academy app or visit our website resideo.com/academyUK



©2026 Resideo Technologies, Inc.

Resideo apps

For the professional



The Resideo Pro App



Is specifically tailored for use by installers. It simplifies the installation and configuration processes for a range of Resideo products including HCC100. Users benefit from faster installs and more ways to connect with customers.

TRV Balancing App



Use the Honeywell Home TRV balancing app to work out the pre-set value rather than calculating it manually.

Simply...

1. Select the valve type
2. Select the radiator model
3. Enter the inlet, outlet & radiator dimensions
4. And check the result!

Wiring Guide App



Get access to the wiring guide from Honeywell Home so you don't miss out on...

- ✓ Wiring guides
- ✓ Troubleshooting
- ✓ Access to training modules
- ✓ Fault finding

For the homeowner



The Resideo App for the homeowner



With the Resideo app, homeowners can take control of their home comforts at the touch of a button.



The Total Connect Comfort App



The Total Connect Comfort app brings you the peace of mind you need, knowing your home is safe, secure and under control, making it easy to manage multiple thermostats and security devices across many locations – for the whole family.

Peace of mind for years to come

Reach perfect comfort at home, with a brand you can trust. Our products are built to last, and continue to offer our customers the control, reliability and durability to create the home they want and deserve – for years to come.



SIMPLY RELIABLE



**The terms of the Resideo 5 Year Warranty Policy apply, visit resideo.com/warranty*

Index

| DESCRIPTION | PRODUCT CODE | PAGE NUMBER |
|--|--------------|-------------|
| evohome smart multi-zone system | | |
| evohome Wi-Fi connected thermostat pack | ATP921R3100 | 2 |
| evohome essentials pack (incl. 6 HR91) | ATP926G3001 | 2 |
| evohome hot water kit | ATF500DHW | 2 |
| evohome radiator controller with display (x4) | HR924UK | 2 |
| evohome radiator sensor (x4) | HR914 | 2 |
| Single radiator controller with display | HR92UK | 2 |
| Single radiator controller | HR91 | 2 |
| Non-Programmable thermostats | | |
| DT4 Wired room thermostat (white) | DT40WT20 | 2 |
| DT4R Wireless room thermostat (white) | YT42WRFT20 | 2 |
| DT4M Wired room thermostat OpenTherm (white) | DT41SPMWT30 | 2 |
| DT4M Wireless room thermostat OpenTherm (white) | YT43MRFT30 | 2 |
| DT4 spare (white) | DTS42WRFST20 | 2 |
| DT4 Wired room thermostat (black) | DT40BT22 | 2 |
| DT4R Wireless room thermostat (black) | YT42BRFT22 | 2 |
| DT4M Wired room thermostat OpenTherm (black) | DT41SPMBT32 | 2 |
| DT4M Wireless room thermostat OpenTherm (black) | YT43MRFBT32 | 2 |
| DT4 spare (black) | DTS42BRFST22 | 2 |
| DT4 Wired room thermostat (grey) | DT40GT21 | 2 |
| DT4R Wireless room thermostat (grey) | YT42GRFT21 | 2 |
| DT4M Wired room thermostat OpenTherm (grey) | DT41SPMBT32 | 2 |
| DT4M Wireless room thermostat OpenTherm (grey) | YT43MRFGT31 | 2 |
| DT4 spare (grey) | DTS42GRFST21 | 2 |
| Mechanical mains voltage room thermostat | T6360B1028 | 2 |
| Smart programmable thermostats | | |
| T6R Smart programmable wall mounted thermostat | Y6H920RW5031 | 3 |
| T6R Smart programmable table stand thermostat | Y6H920RW4026 | 3 |
| Programmable thermostats | | |
| T3 Wired programmable thermostat | T3H110A0066 | 3 |
| T3R Wireless programmable thermostat | Y3H710RF0053 | 3 |
| T3M Wired OpenTherm compatible programmable thermostat | T3H310A0045 | 3 |
| T4 Wired programmable thermostat | T4H110A1021 | 3 |
| T4R Wireless programmable thermostat | Y4H910RF4003 | 3 |
| T4M Wired OpenTherm compatible programmable thermostat | T4H310A3032 | 3 |
| Timers | | |
| Single channel 7 day timer | ST9100C1006 | 4 |
| Two channel 7 day programmer | ST9400C1000 | 4 |
| 2 zone 7 day programmer | ST9500C1015 | 4 |
| Wireless enabled timer packs | | |
| Sundial RF2 pack one | Y9120H2009 | 4 |
| Sundial RF2 pack two | Y9420H1008 | 4 |
| Sundial RF2 pack three | Y9420S2005 | 4 |
| Sundial RF2 pack four | Y9120W1000 | 4 |
| Sundial RF2 - pack five | Y9520Z1007 | 4 |

Index

| DESCRIPTION | PRODUCT CODE | PAGE NUMBER |
|--|----------------|-------------|
| Underfloor heating | | |
| HCC100 Underfloor multi-zone controller | HCC100M2022 | 5 |
| Thermal actuator | | |
| MT4 Thermal actuator, normally closed, closing dims 11mm | MT4-230-NC-HCC | 5 |
| MT4 Thermal actuator, normally open, closing dims 11mm | MT4-230-NO-HCC | 5 |
| Motorised valves and spares | | |
| 22mm standard zone valve | V4043H1056 | 6 |
| 28mm standard zone valve | V4043H1106 | 6 |
| Replacement head for zone valve | 40003916-001 | 6 |
| 22mm 3 port mid-position valve | V4073A1039 | 6 |
| 28mm 3 port mid-position valve | V4073A1088 | 6 |
| Replacement head for mid position valve | 4003916-003 | 6 |
| 22mm 3 port diverter valve | V4044C1288 | 6 |
| Replacement head for 3 port diverter valve | 40003916-002 | 6 |
| Replacement motor for all of above | 40002737-003 | 6 |
| 22mm 2 port zone valve twin pack | V4043H1056/TW | 6 |
| TRVs | | |
| VTL15 15mm angled - Single TRV & lock shield | VTL15-15A | 7 |
| VTL120 15mm angled - Single TRV & lock shield | VTL120-15A | 7 |
| VTL200 15mm angled - Single TRV & lock shield | VTL200-15A | 7 |
| Valves & air vent | | |
| 22mm straight bypass valve | DU144A1001 | 7 |
| 22mm angled bypass valve | DU145-3/4B | 7 |
| Pressure reducing valve - 15mm compression fittings with gauge | D04FM-1/2ZGC | 7 |
| Pressure reducing valve - 22mm compression fittings with gauge | D04FM-3/4ZGC | 7 |
| Automatic air vent | EA122-AB | 7 |
| L series - L1 & L5 | | |
| L5 WiFi water leak shutoff valve with 1/2 inch ball valve | VWS02Y015W | 8 |
| L5 WiFi water leak shutoff valve with 3/4 inch ball valve | VWS02Y020W | 8 |
| L5 WiFi water leak shutoff valve with 1 inch ball valve | VWS02Y025W | 8 |
| L5 WiFi water leak shutoff valve with 1 1/4 inch ball valve | VWS02Y032W | 8 |
| L1 WiFi water leak and freeze detector | RWLD3006-01 | 8 |
| Smoke, heat and CO alarms | | |
| Carbon monoxide (CO) alarm - standalone | R200C-1 | 9 |
| Interconnected carbon monoxide (CO) | R200C-N1 | 9 |
| Smoke alarm - standalone | R200S | 9 |
| Interconnected smoke alarm | R200S-N1 | 9 |
| Interconnected heat | R200H-N1 | 9 |
| Interconnected heat and smoke alarm | R200ST-N1 | 9 |

Resideo

3 Waterside Drive
Arlington Business park
Theale, Reading
RG7 4SW

For tech support

0300 130 1299

For more information

resideo.com

01/26

© 2026 Resideo Technologies, Inc. All rights reserved.
The Honeywell Home brand is used under license from
Honeywell International Inc. This product is manufactured
by Resideo Technologies, Inc. and its affiliates.

Honeywell Home