Honeywell Home







Heating controls for any system

evohome smart multi-zone system

A smart. connected heating system offering control of up to 12 heating zones and hot water. Helping customers manage their comfort level and heating costs in a way that suits them.

- Scalable system can be used as a single zone thermostat or can control up to 12 heating zones
- Ability to control hot water, time and temperature
- This system can also control underfloor heating



Smart programmable thermostats

You can enjoy optimal comfort in your home or simply control from within the Resideo app. Comfort at home, energy savings when away. It's that simple.



Non-programmable thermostats

Reliability, application flexibility and ease of installation.





DT4 Room Thermostat

- Compatible with OpenTherm gas boilers, combi boilers plus hybrid and green heating systems, including heat pumps
- Save your customer up to 10% on their heating bill when upgrading on a mechanical thermostat**
- Wired, wireless and OpenTherm* models available

**Source BEAMA, based on test environment using a time clock, Class I on/off room thermostat and manual radiator valves, in an end-terrace/semi-detached house. Upgrade from a mechanical thermostat to a load compensating thermostat.





Mechanical Room Thermostat

- 10-30°C set point range
- Switches up to 10 Amp
- Multiple options available including 16 Amp switching model

Programmable thermostats

Empower your customers to save energy while maintaining comfort in their homes.



T4 Series

- 6 time schedules
- Holiday mode
- Lockable keypad
- Wireless (T4R), wired (T4) & OpenTherm* (T4M) version available







T3 Series

- 4 time schedules
- Built-in service reminder
- Wireless (T3R), wired (T3) & OpenTherm* (T3M) version available
- Heat pump compatible

Programmers

Wired time control

For independent heating control with up to seven day programming and 3 on/off periods.







2 channel programmer

1 channel timer

2 zone programmer

PROUD TO BE

MADE IN

GREAT BRITAIN

Wireless enabled time and temperature control

A two-way wireless receiver built into the timer avoiding the need to wire extra receivers into the heating system.



Sundial RF^2 packs

- Products wirelessly pre-bound in the box
- Fits on industry standard back plate
- A pack to cover the majority of systems





- Packs 1 & 5 comply with Boiler Plus
- Simply fit the timer and everything else is wirelessly enabled on the system

SUNDIAL RF2 PACK	APPLICATION
Sundial RF ² Pack One - Y9120H2009	Ideal for adding a room thermostat to combi-boilers and single heating zones
Sundial RF ² Pack Two - Y9420H1008	Ideal for adding a room thermostat to an existing system that has stored hot water
Sundial RF ² Pack Three - Y9420S2005	Ideal for adding a room thermostat and cylinder thermostat to new and existing systems
Sundial RF ² Pack Four - Y9120W1000	Ideal for adding a hot water timer and cylinder thermostat to new and existing Sundial systems, or upgrading a gravity hot water system
Sundial RF ² - Pack Five* - Y9520Z1007	Ideal for providing two heating zones


Underfloor heating

HCC100 Underfloor Multi-Zone Controller

Helps to control and balance a whole home system for efficient energy consumption. This all-in-one solution can be fitted with either wired or wireless Honeywell Home thermostats. In combination with evohome WiFi, the HCC100 offers even more control options.

- Works with evohome system
- 20 selectable outputs for controlling hose groups via thermal motors
- Up to 8 individually controlled temperature zones with Honeywell Home thermostats, up to 6 of which can be wired
- Easy to configure via the Resideo Pro app

H Wired & Wireless









Boilers & Heat Pumps

s Flexible Multi-zone




The MT4-HCC thermal actuator provide optimum control performance in combination with the HCC100.

The MT4 has been extensively tested and can be applied to almost all manifolds.



4





Motorised valves and spares

Providing superior quality and reliability, that installers have come to expect. Available in a range of models to meet all system requirements.

- Removable head and replaceable motor
- Durable rotating ball provides tight valve shut off
- Quiet operation and minimal power consumption
- 22mm zone valves, now available in twin pack
- Manual lever for filling and draining the system
- Manufactured in Europe since 2010



TRVs

TRVs significantly reduce the energy used by the heating system by limiting the temperatures within each room.

- A-Rated energy saving performance*
- Bi-directional flow valves
- Matching lockshield

- help make the heating system work




Valves and automatic air vent

Pressure reducing valves are designed to protect household appliances against excessive supply pressures. Automatic bypass valves reduces system noise and maintains an even system pressure. The automatic air vent offers extra protection to keep heating and non-heating systems operating efficiently.





Pressure reducing valve with gauge








- Various sizes and fittings available
- TRV balancing app available to
- more effectively and efficiently

DESIGNER









Straight auto bypass valve



Angled auto bypass valve

L Series - L1 and L5

Wirelessly link L1 and L5 together to give whole house protection

The L1 Water Leak and Freeze Detector and the L5 Shutoff Valve alert customers to leaking or freezing pipes.



L1 WiFi Water Leak & Freeze Detector

- Includes a 1.5 m cable that senses water along its entire length
- Extend coverage up to 152m by connecting additional sensing cables



L5 WiFi Water Leak Shutoff Valve

- Shuts off water supply when water is detected
- Resideo Smart Home app notifies the user of any leak or shutoff events





Invisible threats such as fire smoke and noxious gases can put people at risk. Our comprehensive line of standalone and interconnected smoke, heat and carbon monoxide detectors will help keep the home safe.

The range of interconnected alarms can be wirelessly linked to each other, so when one alarm is triggered they all sound, maximising the alert in the event of an activation.

- Super-slim design (R200C/R200C-N/R200S only)
- Audible and visual red 'ALARM' text for the deaf and hearing-impaired
- Easy to create a connected home (up to 12 alarms interconnected)
- Interconnected alarms come with built-in wireless module
- High-reliability alarm system for customers who look for advanced safety features
- Ideal for houses, apartments, and caravans where several alarms are needed







R200S-N

Smoke alarm

(interconnected)

R200S Smoke alarm

CO alarms

R200C CO alarm



R200C-N CO alarm (interconnected)











R200H-N Heat alarm (interconnected)



R200ST-N Heat & smoke alarm (interconnected)

ProSeries

The ultimate end-to-end security and life safety platform.

- Offers security and life safety in one platform, with stress-free installation & professional monitoring
- Installations can be customised to suit any lifestyle or business environment thanks to its modular design







resideo academy

The right training for the right job, delivered the right way.

Resideo Academy supports heating, plumbing and security professionals with training from our industry and product experts, enabling you to develop the skills you need to be successful.









Download on the App Store

©2023 Resideo Technologies, Inc. The Honeywell Home trademark is used under license from Honeywell International Inc. All rights reserved.

Resideo Academy App

Scan the QR code to download the Resideo Academy app or visit our website resideo.com/academyUK

Resideo Apps

For the Professional

THE RESIDEO PRO APP

Is specifically tailored for use by installers. It simplifies the installation and configuration



processes for a range of Resideo products including HCC100 and ProSeries. Users benefit from faster installs and more ways to connect with customers.



TRV BALANCING APP

Use the Honeywell Home TRV balancing app to work out the pre-set value rather than calculating it manually.

Simply...

- **1.** Select the valve type
- 2. Select the radiator model
- 3. Enter the inlet, outlet & radiator dimensions
- 4. And check the result!



WIRING GUIDE APP

Access Honeywell Home's industry leading wiring guide, don't miss out on...

V Wiring guides



Access to training modules **V** Troubleshooting **V** Fault finding



For the Homeowner

THE RESIDEO APP FOR THE HOMEOWNER With the Resideo app,

homeowners can take



control of their home comforts at the touch of a button.




THE TOTAL CONNECT **COMFORT APP**



The Total Connect Comfort app brings you the peace of

mind you need, knowing your home is safe, secure and under control, making it easy to manage multiple thermostats and security devices across many locations - for the whole family.

EVOHOME SYSTEM BUILDER



Configure tailor-made heating solutions effortlessly



© 2024 Resideo Technologies, Inc. All rights reserved. The Honeywell Home trademark is used under license from Ho This product is manufactured by Resideo Technologies, Inc. and its affiliates.



12

Find out more, visit evohome.resideo.com





Index

DESCRIPTION	PRODUCT CODE	PAGE NUMBER
evohome smart multi-zone system		
evohome Wi-Fi connected thermostat pack	ATP921R3100	2
evohome essentials pack (incl. 6 HR91)	ATP926G3001	2
evohome hot water kit	ATF500DHW	2
evohome radiator controller with display (x4)	HR924UK	2
evohome radiator sensor (x4)	HR914	2
Single radiator controller with display	HR92UK	2
Single radiator controller	HR91	2
Non-Programmable thermostats		
DT4 Wired room thermostat (white)	DT40WT20	2
DT4R Wireless room thermostat (white)	YT42WRFT20	2
DT4M Wired room thermostat OpenTherm (white)	DT41SPMWT30	2
DT4M Wireless room thermostat OpenTherm (white)	YT43MRFWT30	2
DT4 spare (white)	DTS42WRFST20	2
DT4 Wired room thermostat (black)	DT40BT22	2
DT4R Wireless room thermostat (black)	YT42BRFT22	2
DT4M Wired room thermostat OpenTherm (black)	DT41SPMBT32	2
DT4M Wireless room thermostat OpenTherm (black)	YT43MRFBT32	2
DT4 spare (black)	DTS42BRFST22	2
DT4 Wired room thermostat (grey)	DT40GT21	2
DT4R Wireless room thermostat (grey)	YT42GRFT21	2
DT4M Wired room thermostat OpenTherm (grey)	DT41SPMBT32	2
DT4M Wireless room thermostat OpenTherm (grey)	YT43MRFGT31	2
DT4 spare (grey)	DTS42GRFST21	2
Mechanical mains voltage room thermostat	T6360B1028	2
Smart programmable thermostats		
T6R Smart programmable wall mounted thermostat	Y6H920RW5031	3
T6R Smart programmable table stand thermostat	Y6H920RW4026	3
Programmable thermostats		
T3 Wired programmable thermostat	T3H110A0066	3
T3R Wireless programmable thermostat	Y3H710RF0053	3
T3M Wired OpenTherm compatible programmable thermostat	T3H310A0045	3
T4 Wired programmable thermostat	T4H110A1021	3
T4R Wireless programmable thermostat	Y4H910RF4003	3
T4M Wired OpenTherm compatible programmable thermostat	T4H310A3032	3
Timers		
	07010001000	,

Timers		
Single channel 7 day timer	ST9100C1006	4
Two channel 7 day programmer	ST9400C1000	4
2 zone 7 day programmer	ST9500C1015	4

Wireless enabled timer packs		
Sundial RF2 pack one	Y9120H2009	4
Sundial RF2 pack two	Y9420H1008	4
Sundial RF2 pack three	Y9420S2005	4
Sundial RF2 pack four	Y9120W1000	4
Sundial RF2 - pack five	Y9520Z1007	4

Index

DESCRIPTION

Underfloor heating

HCC100 Underfloor multi-zone controller

Thermal actuator

MT4 Thermal actuator, normally closed, closing dims 11mm MT4 Thermal actuator, normally open, closing dims 11mm

Motorised valves and spares

22mm standard zone valve		
28mm standard zone valve		
Replacement head for zone valve		
22mm 3 port mid-position valve		
28mm 3 port mid-position valve		
Replacement head for mid position valve		
22mm 3 port diverter valve		
Replacement head for 3 port diverter valve		
Replacement motor for all of above		
22mm 2 port zone valve twin pack		

TRVs

VTL15 15mm angled – Single TRV & lock shield VTL120 15mm angled – Single TRV & lock shield VTL200 15mm angled – Single TRV & lock shield

Valves & air vent

22mm straight bypass valve 22mm angled bypass valve Pressure reducing valve - 15mm compression fittings with gauge Pressure reducing valve - 22mm compression fittings with gauge Automatic air vent

L series - L1 & L5

L5 WiFi water leak shutoff valve with ½ inch ball valve L5 WiFi water leak shutoff valve with ¾ inch ball valve L5 WiFi water leak shutoff valve with 1 inch ball valve L5 WiFi water leak shutoff valve with 1 ¼ inch ball valve L1 WiFi water leak and freeze detector

Smoke, heat and CO alarms

Carbon monoxide (CO) alarm - standalone	
Interconnected carbon monoxide (CO)	
Smoke alarm - standalone	
Interconnected smoke alarm	
Interconnected heat	
Interconnected heat and smoke alarm	

PRODUCT CODE	PAGE NUMBER
HCC100M2022	5
MT4-230-NC-HCC	5
MT4-230-NO-HCC	5
V/00/2010FC	C
V4043H1056 V4043H1106	6
40003916-001	6
V4073A1039	6
V4073A1088	6
4003916-003	6
V4044C1288	6
40003916-002	6
40002737-003	6
V4043H1056/TW	6
VTL15-15A	7
VTL120-15A	7
VTL200-15A	7
DU144A1001	7
DU145-3/4B	7
D0143 3/48 D04FM-1/2ZGC	7
D04FM-3/4ZGC	7
EA122-AB	7
VWS02Y015W	8
VWS02Y020W	8
VWS02Y025W	8
VWS02Y032W	8
RWLD3006-01	8
D200C-1	0
R200C-1 R200C-N1	9 9
R200C-N1 R200S	9
R2005-N1	9
R200H-N1	9
R200ST-N1	9



*The terms of the Resideo 5 Year Warranty Policy apply, visit resideo.com/warranty



Resideo Technologies, Inc.

200 Berkshire Place, Winnersh, Berkshire, RG41 5RD resideo.com

© 2023 Resideo Technologies, Inc. These products are manufactured by Resideo and its affiliates. The Honeywell Home trademark is used under license from Honeywell International Inc. All rights reserved.

