

With a presence in 150 million homes, Resideo's smart home solutions help security dealers build their business for the future by offering a broad range of home security and automation solutions that help simplify their operations and strengthen relationships with their customers.

We offer residential and small-to-medium sized businesses a variety of Resideo security products. We are authorized to distribute the following security systems that seamlessly integrate with lighting, smart thermostats, and more for control whether at home or away:

ProSeries Platform

The ultimate connected home security system with dedicated touch-screen panels and built-in Amazon Alexa to control security settings, raise a thermostat, adjust smart bulbs and much more; all with the touch of a button or a simple voice command.

VISTA® Platform

A proven security and life-safety platform that is highly flexible and scalable, offering a wide selection of hardwired and wireless sensors, numerous user interface options, and support for automation capabilities.

LYNX® Platform


A professional wireless security and smart home platform with a wide selection of wireless sensors that offer fast and dependable installation.

Other security and life-saving accessories, such as sensors, glassbreak detectors, combo smoke/CO detectors and keypads.

Wireless Systems:

ProSeries Security and Life Safety At-A-Glance

ProSeries products are a professional, nextgeneration security and life safety platform for residential and small business installations. With a modular design and seamless hardware and software, ProSeries offers an efficient, customized installation and a great user experience. It also features proven life safety, advanced smart home capabilities and technology that makes takeovers and upgrades easier than ever. The ProSeries platform helps you win more business, keep your customers longer and drive more profits.



ProSeries 7" All-in-One Touchscreen

| SYSTEM CAPACITIES | |
|---|------|
| Maximum Security Zones (including SiX and legacy one-way devices) | 250 |
| Maximum SiX Two-Way Wireless Devices | 127 |
| Maximum Secondary Wi-Fi® Touchscreen Keypads | 8 |
| User Codes | 96 |
| Event Log | 4000 |
| Wireless Remote Key Fobs | 32 |
| Wireless Keypads (Touchscreen or LCD) | 8 |
| Maximum Smart Scenes | 100 |

| SYSTEM CAPACITIES | | | | |
|---|-----|--|--|--|
| Partitions | 4 | | | |
| Scenes (Requires Total Connect) | 100 | | | |
| Bluetooth Devices | 6 | | | |
| Maximum Two-Way Wireless Indoor/Outdoor MotionViewers® (PROA7PLUS) | 8 | | | |
| Z-Wave® Devices Total: | 78 | | | |
| Lights/Lamps | 60 | | | |
| Locks | 6 | | | |
| Thermostats | 6 | | | |
| Garage Doors | 6 | | | |

Control Panel



PROA7PLUSC (Resideo branded)
PROA7PLUS (Honeywell Home branded)
PROA7PLUSCN** (Honeywell Home branded)
7" AlO Security Panel with
Wi-Fi®/Z-Wave® module (included)

PROA7C (Resideo branded)

7" AIO Security Panel

PROA7 (Honeywell Home branded)

PROA7CN** (Honeywell Home branded)



PROA7DM
Desk Mount for
7" AIO Security Panel

App



Resideo Total Connect 2.0 and AlarmNet Plans

Security – Transmission of alarm signals

Smart Security – Security plus remote control of security functions and system notifications

Smart Home – Smart Security plus automation services for controlling lights, smart scenes and Amazon Alexa

User Interfaces



PROWLTOUCHC (Resideo branded)
PROWLTOUCH (Honeywell Home branded)
7" Wireless Touchscreen



PROWLTOUCHDMDesk Mount for 7" Wireless Touchscreen



PROSIXLCDKPC (Resideo branded)
PROSIXLCDKP (Honeywell Home branded)
PROSIXLCDKCN** (Honeywell Home branded)
Wireless Touchpad

Wireless Accessories



PROTAKEOVER

Wireless Takeover Module – enables ProSeries panels to communicate with multiple one-way wireless security sensor protocols



PROSIXRPTR

Wireless Repeater



PROSIXC2W

Hardwired-to-SiX Wireless Converter

Communicators



PROLTE-A US/Canada, AT&T® Network

PROLTE-VUS, Verizon® Network

PROLTE-CN**
Canada, Bell Network



PROLTE-ANT External Antenna Kit



PROWIFI Wi-Fi Communica

Wi-Fi Communication Module

PROWIFIZW

Combination Wi-Fi/Z-Wave Communications Module

Video/Automation



IPCAM-WIC2 HD Wi-Fi® Indoor Video Camera



IPCAM-WOC2 HD Wi-Fi Outdoor Video Camera



DBCAM-TRIM2, Silver DBCAM-TRIMBR2, Bronze Wi-Fi Video Doorbell



TH6320ZW2003 T6 Z-Wave Thermostat

Z-WAVE PLUS™ LIGHTING CONTROL



Z5SWPIDPlug-in Switch/Dual Outlet



Z5DIMPIDPlug-in Dimmer/Dual Outlet



Z5SWITCH Switch



Z53WSWITCH Auxiliary 3-Way Switch



Z50UTLET Outlet



Z5SWPIOPlug-in Outdoor Switch,
Black

Security and Safety

DOOR/WINDOW CONTACTS



PROSIXCT Door/Window Sensor CR123A (1)*



PROSIXMINI Mini Door/ Window Sensor CR2450 (1)*



PROSIXMINI2

Mini Door/Window Sensor

Covers for PROSIXMINI2

MINIBRNPK 10-pack Cover, Brown

MINIBLKPK 10-pack Cover, Black



MOTIONVIEWER

PROINDMV Indoor MotionViewer® (PROA7PLUS) CR123A (3)*

GLASSBREAK AND SHOCK SENSORS



PROSIXGB Glassbreak Detector CR123A (1)*



PROSIXSHOCK Shock Sensor CR123A (1)*

SOUNDERS



PROSIXSIREN Indoor Siren AA Lithium (4)*



PROSIXSIRENO Outdoor Siren AA Lithium (4)*

ENVIRONMENTAL PROTECTION



PROSIXFLOOD Flood Detector CR123A (1)*



PROSIXTEMP Temperature Sensor CR123A (1)*

MOTION SENSOR



PROSIXPIR Motion Detector CR123A (1)*

OUTDOOR PROTECTION (requires PROTAKEOVER Module)



5800PIR-OD2 Outdoor Motion Sensor Lithium*



58160D Outdoor Contact/ Transmitter Lithium*

ASSET PROTECTION (requires PROTAKEOVER Module)



5870API-WH 5870API-GY Indoor Asset Protection Sensor CR2 (1)*

REMOTE CONTROL KEYFOB



PROSIXFOB Two-Way Wireless Key 2032 (1)*

PERSONAL PROTECTION



PROSIXMED Personal Medical Transmitter CR2450 (1)*



PROSIXPANIC Personal Panic Transmitter CR2450 (1)*

Life Safety



PROSIXCOMBO
PROSIXCOMBOC**
Combination Smoke/
Carbon Monoxide
(CO) Detector
CR123A (4)*



PROSIXCO
PROSIXCOCN**
Carbon Monoxide
(CO) Detector
CR123A (2)*



PROSIXSMOKEV Smoke Detector CR123A (2)*



PROSIXHEATV Heat Sensor CR123A (2)*

Hybrid Systems:

The VISTA® Residential and Light Commercial Family At-A-Glance

A proven security and life safety platform that's highly flexible and scalable, offering a wide selection of hardwired and wireless sensors, numerous user interface options, and support for automation capabilities.

VISTA-15P: With up to 32 zones, this workhorse is a proven solution with a massive installed base that's ideal for residential and small to medium business installations.

VISTA-20P: Expands to 48 zones and two partitions to meet the needs of larger residential and light commercial installations.

VISTA-21iP: All the power of VISTA-20P with integrated communications, including a built-in Internet Communicator and an optional snap-in radio.



| | VISTA-15P | VISTA-20P | VISTA-21iP |
|---|-----------|-----------|------------|
| SYSTEM CAPACITIES | | | |
| Maximum Zone Capacity | 32 | 48 | 48 |
| Std. Hardwired Zones (with zone doubling) | 6 (-) | 8 (15) | 8 (15) |
| Maximum ECP Hardwired Expansion Zones | 16 | 40 | 40 |
| Maximum Wireless Expansion Zones | 26 | 40 | 40 |
| Partitions | 1 | 2 "true" | 2 "true" |
| Maximum Number of Touchscreens | 2 | 4 | 4 |
| User Codes | 32 | 48 | 48 |
| Event Log | 50 | 100 | 100 |
| Maximum Number Two-Wire Smokes | 16 | 16 | 16 |
| Maximum Number of Schedules | 8 | 32 | 32 |

Control Panels



VISTA-15P **Control Panel VISTA-15PSIA** Control Panel for SIA Certifications VISTA-20P Control Panel VISTA-20PSIA Control Panel for SIA Certifications

VISTA-20PUL

Cabinet with Commercial UL Listings

VISTA21iPLTE

Control Panel with built-in IP and optional LTE® Radio

V21SIALTE

Control Panel for SIA Certifications

Keypad Options

GRAPHIC TOUCHSCREENS



6290W (Honeywell Home branded) 6290WC (Resideo branded)

7" Color Touchscreen Keypad with Voice



TUXEDOW (Honeywell Home branded) TUXEDOWC (Resideo branded)

7" Color Touchscreen Keypad with Voice and Automation

WIRELESS KEYPADS



Wireless Fixed English Keypad

Wireless Fixed English Voice Keypad

HARDWIRED KEYPADS



6150 (Honeywell Home branded) 6150C (Resideo branded)

Fixed Language Display Keypad



6160 (Honeywell Home branded)

6160C (Resideo branded)

32 Character Alpha Display Keypad



6460S (Honeywell Home branded Silver) 6460SC (Resideo branded Silver) Premium Alpha Keypad



6460W (Honeywell Home branded White) 6460WC (Resideo branded White) Premium Alpha Keypad

KEYPADS WITH INTEGRATED RECEIVERS



6150RF (Honeywell Home branded) 6150RFC (Resideo branded) 6150RFFR (Honeywell Home branded French)

6150RFFRC (Resideo branded French) Fixed Language Integrated Keypad/ Transceiver



6160RF (Honeywell Home branded) 6160RFC (Resideo branded)

Deluxe Custom Alpha Integrated Keypad/Transceiver

App



Resideo Total Connect 2.0 and AlarmNet Plans

Security - Transmission of alarm signals Smart Security - Security plus remote control of security functions and system notifications

Smart Home - Smart Security plus automation services for controlling lights, smart scenes and Amazon Alexa

Zone Expanders



Intelligent Four Zone Relay Board

4219

Wired Eight Zone Expander 4229

Wired Eight Zone Expander/ Two Zone Relay Board

Wireless Receivers/Repeaters



588₁ENL Up to 8 zones **5881ENM** Up to 16 zones

5881ENH Unlimited zones depending

on control panel



Wireless Repeater

5883H Wireless Transceiver

Security and Safety

DOOR/WINDOW CONTACTS

Hardwired



951WG 3/8" Diameter Miniature Press Fit



5800MINI **5800MINI BR** Door/Window Contact CR2032*



5815/5815WG Door/Window Transmitter CR123*

Wireless



5816WMWH 5816WMBR Two Zone Door/Window Transmitter CR123





7939WG Magnetic Contact 7939WG-WH (White) 7939WG-BR (Brown) 7939WG-GY (Grev)



5817CBXT Light Commercial Transmitter CR123



5800RPS Recessed Transmitter 1620*



5818MNL Recessed Transmitter AAA*



5800MICRA Recessed Window Transmitter CR1620*

GLASSBREAKS

Hardwired



FG1625/1625T Glassbreak Detector FG1625F Flush Mount Glassbreak Detector FG-1625R/1625RT Glassbreak Detector

Wireless



5853 Glasshreak Detector CR123 (2)

SHOCK SENSORS

Wireless



5819S (White) 5819S-BR (Brown) Shock Processor and Transmitter



5800SS1 Shock Sensor

MOTION SENSORS

Hardwired



IS216T PIR



IS335/IS335T PIR with Pet Immunity

FLOOD PROTECTION



5800PIR PIR with Selectable Pet Immunity and Low Temperature Alert CR123*

Wireless



5800PIR-RES Pet Immune PIR CR123*



5800PIR-COM **Light Commercial** PIR with Low Temperature Alert CR123*

SOUNDER



5800WAVE Siren

5800FLOOD Temperature Sensor and Flood Detector CR123*



T280R External Probe for Freezer and Refrigeration Monitoring

5821 **Temperature Sensor** and Flood Detector CR123

OUTDOOR PROTECTION



5800PIR-OD2 Outdoor Motion Sensor Lithium³



58160D Outdoor Contact/ Transmitter Lithium*

ASSET PROTECTION



5870API-WH 5870API-GY Indoor Asset Protection Sensor CR2 (1)*

REMOTE CONTROL KEYFOBS

FP280 External Probe for Flood Sensing



5834-4 5834-4EN (with plated bezel and key ring) Four-button Wireless **Key Transmitter** 3V 210mAh*

PERSONAL PROTECTION



5802WXT One-button Personal Panic Transmitter



5802WXT-2 Two-button Personal Panic Transmitter CR2032*

Life Safety



5806W3/ 5806W3A** Smoke Detector CR123*



5808W3/ 5808W3A** Smoke and Heat Detector with Low Temperature Detection CR123*



5809SS Rate-of-Rise Fixed Temperature **Heat Detector**



5800CO/ 5800COA** Carbon Monoxide Detector CR123*



5800COMBO/ 5800COMBO-CN** Combination Smoke/Carbon Monoxide Detector CR123 (4)*

Communicators



LTEM-XA (AT&T®) LTEM-XV (Verizon®) LTE-XC (Bell)** LTE® Communicator LTE-IA (AT&T) LTE-IV (Verizon) LTE-IC (Bell)** LTE and Internet Multi-Path Communicator



LTEM-PA (AT&T) LTEM-PV (Verizon) Advanced Modular Communicator Multi-Path LTE CAT M1 Communicator

LTEM-PIA (AT&T) LTEM-PIV (Verizon) LTE CAT M1 Cellular and Internet Communicator **PROWIFIZW** Wi-Fi®/Z-Wave® Module for LTEM-P

PROWIFI Wi-Fi Module for LTEM-P

PRODCMDialer Capture
Module for LTEM-P

Z-WAVE PLUS™ LIGHTING CONTROL

LTE-21V Communicator for VISTA 21iPLTE 7847i Internet Communicator 7847i-E Enterprise IP Communicator

Video/Automation



IPCAM-WIC2 HD Wi-Fi Indoor Video Camera



TUXEDOW (Honeywell Home branded)
TUXEDOWC (Resideo branded)

7" Color Touchscreen Keypad with Voice and Automation



IPCAM-WOC2 HD Wi-Fi Outdoor Video Camera



TH6320ZW2003 T6 Z-Wave Thermostat



Z5SWPIOPlug-in Outdoor
Switch, Black



Z5SWPIDPlug-in Switch/
Dual Outlet



Z5DIMPIDPlug-in Dimmer/
Dual Outlet



Z50UTLET Outlet



Z5DIMMER
Dimmer
Z5SWITCH
Switch
Z53WSWITCH
Auxiliary
3-Way Switch

DBCAM-TRIM2, Silver DBCAM-TRIMBR2, Bronze Wi-Fi Video Doorbell



4232CBMConnected Building
Module for Automation

Hybrid Systems:

The VISTA Light Commercial Solutions Family At-A-Glance

A proven, highly reliable solution, the VISTA® light commercial platform supports both burglary and fire alarm applications and a vast number of hardwire, V-Plex® and wireless options, maximizing installation flexibility.



| | BURGLARY | | FIRE/BURGLARY | | |
|----------------------------------|--|--|---------------------------------|---------------------------------|-------------------------------------|
| SYSTEM CAPACITIES | VISTA-128BPT | VISTA-250BPT | VISTA-32FBPT | VISTA-128FBPT | VISTA-250FBPT |
| Maximum Zone Capacity | 128 | 250 | 32 | 128 | 250 |
| Maximum Standard Hardwire Zones | 9 | 9 | 8 | 8 | 8 |
| Maximum Wireless Expansion Zones | 127 | 249 | 32 | 127 | 249 |
| V-Plex® Devices | 119 | 241 | 24 | 120 | 242 |
| Two-Wire Smokes | 16 (Zone 1) | 16 (Zone 1) | 32 (Zone 1 & 2) | 32 (Zone 1 & 2) | 32 (Zone 1 & 2) |
| Four-Wire Smokes | Zone 1-128 | Zone 1-250 | Zone 1-32 | Zone 1-128 | Zone 1-250 |
| Maximum Number of Keypads | 31 (Alpha) 6 (Graphics) | 31 (Alpha) 6 (Graphics) | 31 (Alpha) 6 (Graphics) | 31 (Alpha) 6 (Graphics) | 31 (Alpha) 6 (Graphics) |
| User Codes | 150 | 250 | 75 | 150 | 250 |
| Number of Partitions | 8 | 8 | 2 | 8 | 8 |
| Output Relays | 96 | 96 | 96 | 96 | 96 |
| Access Control Relays | 8 Doors | 15 Doors | 8 Doors | 8 Doors | 15 Doors |
| Schedules | 20 | 20 | 20 | 20 | 20 |
| Event Log | 512 | 1000 | 512 | 512 | 1000 |
| UL | 985/1023, 609/365, 611/1610, 1037/1076, 1635 | 985/1023, 609/365, 611/1610, 1037/1076, 1635 | 864/609, 611/1610, 365, 1076 | 864/609, 611/1610, 365, 1076 | 864/609, 611/1610, 365/985, 1076 |
| ULC/ORD | S303, S304, S545, C1023, C1076 | S303, S304, S545, C1023 | S303, 304, S559, S545 C1023 | S303, 304, S559, S545 C1023 | S303, 304, S559, S545 C1023 |

Control Panels





BURGLAR ALARM

VISTA-128BPT VISTA-250BPT FIRE/BURGLAR ALARM

VISTA-32FBPT VISTA-128FBPT VISTA-250FBPT

Keypad Options

GRAPHIC TOUCHSCREENS



6290W (Honeywell Home branded) 6290WC (Resideo branded)

7" Color Touchscreen Keypad with Voice



TUXEDOW (Honeywell Home branded) TUXEDOWC (Resideo branded)

7" Color Touchscreen Keypad with Voice and Automation

HARDWIRED SYSTEMS



6160 (Honeywell Home branded) 6160C (Resideo branded) 32 Character Alpha Display Keypad



6160CR -2 Light Commercial Fire Alpha Keypad UL864 Rev 9 Listed



6460S (Honeywell Home branded Silver)
6460SC (Resideo branded Silver)
6460W (Honeywell Home branded White)
6460WC (Resideo branded White)
Premium Alpha Keypad

HYBRID SYSTEMS (Hardwired and Wireless)



6160RF (Honeywell Home branded) 6160RFC (Resideo branded) Deluxe Custom Alpha Integrated Keypad/Transceiver

Zone Expanders

V-Plex®



4101SN Addressable Relay Module

4190SN Remote Two Zone Point Module

4193SN/4193SNP SIM Serial Interface Module

4208EX Eight Zone V-Plex Expander

4208SN Serialized Eight Zone Remote Point Module

4208SNF Universal Class A & Class B Expander Module

4208U Eight Zone Expander Multisystem Remote Point Module

4297 Extender Module

Hardwired Relays



4204Intelligent Four
Zone Relay Board

4204CFSupervised
Appliance Module
(Two NAC circuits)

Wireless Receivers/Repeaters

5881ENL Up to 8 zones **5881ENM** Up to 16 zones

5881ENH Unlimited zones depending on control panel

5800RPWireless Repeater **5883H**



Wireless Transceiver

Security and Safety

DOOR/WINDOW CONTACTS

V-Plex®



4191SN

V-Plex Contact Recessed



4939SN-WH

V-Plex Contact Surface



4959SN

V-Plex Contact Overhead Door

Hardwired



958/959/MPS52

Overhead Door Magnetic Contact



951WG

3/8" Diameter Miniature Press Fit Magnetic Contact



7939-2

Magnetic Contact

7939WG

Magnetic Contact

Wireless



5800MINI 5800MINI BR

Door/Window Contact CR2032*



5816WMWH **5816WMBR**

Two Zone Door/Window





5800RPS

Recessed Transmitter



5817CBXT

Light Commercial Transmitter CR1233

5820L

Slimline Door/ Window Transmitter AAA*

GLASSBREAK AND SHOCK SENSORS

V-Plex



FG1625SN

V-Plex Glassbreak Detector



FG1625/1625T

Glassbreak Detector

FG1625F

Flush Mount Glassbreak Detector

FG-1625R / 1625RT

Glassbreak Detector

MOTION SENSORS

V-Plex



DT8050A-SN IS3050A-SN V-Plex Motion Detector



IS3035V (35') IS3050V (50') PIR Motion Detector

IS310/320 Request-To-Exit PIR

Wireless



5853 Glassbreak Detector CR123 (2)*



5819S (White) Shock Processor

5819S-BR (Brown) and Transmitter



5800SS1 Shock Sensor

Wireless



5800PIR PIR with Selectable Pet Immunity and Low Temperature Alert CR123*



5898

X-Band DUAL TEC® Motion Sensor AA (4)*

FLOOD PROTECTION



5800FLOOD

Temperature Sensor and Flood Detector CR123*



5821

Temperature Sensor and Flood Detector CR123*

FP280

External Probe for Flood Sensing

T280R

External Probe for Freezer and Refrigeration Monitoring

OUTDOOR PROTECTION



5800PIR-OD2 **Outdoor Motion** Sensor AA (2)*



58160D

Outdoor Contact/ Transmitter AA (2)*

SOUNDERS

Hardwired



WAVE2 Two-tone Siren



702

Self-contained Electronic Siren

Wireless



5800WAVE Siren (Requires transceiver)

ASSET PROTECTION



5870API-WH 5870API-GY

Indoor Asset Protection Sensor CR2 (1)*

HOLD-UP SWITCH



269R 270R

269SN 5869

Hold-up Switches (Available in wired, V-Plex and wireless versions)



Moneyclip



266 Foot Rail

ACCESS CONTROL



VISTAKEY V-Plex Single Door Access Control System

Life Safety

V-Plex®



5193SD

V-Plex Addressable Smoke Detector

5193SDT/5193SDTA**

V-Plex Addressable Photoelectric Smoke Detector with Integral Heat Sensor

Hardwired



5140MPS-1 5140MPS-2 Manual **Pull Stations**

Wireless



5806W3/ 5806W3A** **Smoke Detector** CR123*



5808W3/5808W3A**

Smoke and Heat Detector with Low Temperature Detection CR123*

5800COMBO/



5809SS Rate-of-Rise Fixed

Temperature **Heat Detector** CR123*

5800COA** Carbon Monoxide Detector CR123*



5800COMBO-CN** Combination Smoke/Carbon Monoxide Detector CR123 (4)*

Communicators

HYBRID



LTEM-XA (AT&T®) LTEM-XV (Verizon®) LTE-XC (Bell)** LTE® Communicator

HYBRID MULTI-PATH



LTE-IA (AT&T) LTE-IV (Verizon) LTE-IC (Bell)** LTE and Internet Multi-Path Communicator

LTEM-PA (AT&T) LTEM-PV (Verizon) Advanced Modular Communicator Multi-Path LTE CAT M1 Communicator

LTEM-PIA (AT&T) LTEM-PIV (Verizon) LTE CAT M1 Cellular and Internet Communicator

OPTIONAL MODULES FOR LTEM-P

PROWIFIZW Wi-Fi®/Z-Wave® PROWIFI Wi-Fi Module **PRODCM** Dialer Capture Module

INTERNET COMMUNICATORS



7847i Internet Communicator 7847i-E Enterprise IP Communicator

HIGH SECURITY



LTE-HSV LTE High Security Multi-Path Communicator

FIRE



LTE-CFA/CFV Light Commercial Fire Internet and LTE Communicators

Video/Automation





DBCAM-TRIM2, Silver DBCAM-TRIMBR2. **Bronze** Wi-Fi Video Doorbell



IPCAM-WIC2 HD Wi-Fi Indoor Video Camera



IPCAM-WOC2 HD Wi-Fi Outdoor Video Camera



4232CBM Connected **Building Module** for Automation

App



Resideo Total Connect 2.0 and AlarmNet Plans

Security - Transmission of alarm signals Smart Security - Security plus remote control of security functions and system notifications

Smart Home - Smart Security plus automation services for controlling lights, smart scenes and Amazon Alexa

13 **Canada

Wireless System:

LYNX® At-A-Glance

A professional wireless security and smart home platform with a wide selection of wireless sensors that offers fast and dependable installations.

LYNX Touch 5210: An all-in-one, wireless home and business control system featuring an intuitive touchscreen, Z-Wave® automation capabilities and advanced alarm communications.





| SYSTEM CAPACITIES | |
|---|-----|
| Maximum Security Zone Capacity | 64 |
| Maximum Standard Hardwire Zones | 1 |
| Maximum Wireless Security Expansion Zones | 63 |
| Maximum Keyfob Zones | 16 |
| User Codes | 32 |
| Schedules | 20 |
| Event Log | 128 |

All-In-One System



L5210 L5210-CN** LYNX Touch 5210 Self-Contained All-in-One Control System with 4.3" Touchscreen

Options and Tools



LYNXTOUCH-MSD
LYNX Touch MSD Tool for upgrading LYNX panels



L5000DM Desk Mount for L5210

App



Resideo Total Connect 2.0 and AlarmNet Plans

Security - Transmission of alarm signals

Smart Security – Security plus remote control of security functions and system notifications

Smart Home – Smart Security plus automation services for controlling lights, smart scenes and Amazon Alexa

Keypads



Wireless Fixed English Keypad

5828V

Wireless Fixed English Voice Keypad

Communicators



LTE-L57V (Verizon®) LTE-L57A (AT&T®) LTE-L57C (Bell)** LTE® Communicator



ILP5 Internal Internet Communicator for L5210



L5100-WIFI Wi-Fi® IP Communication Module for L5210

Video/Automation



IPCAM-WIC2 HD Wi-Fi Indoor Video Camera



IPCAM-WOC2 HD Wi-Fi Outdoor Video Camera



DBCAM-TRIM2, Silver DBCAM-TRIMBR2, Bronze Wi-Fi Video Doorbell

$\textbf{Z-WAVE}^{\text{\tiny{(8)}}}$



L5100-ZWAVE Z-Wave Control Module for L5210



TH6320ZW2003T6 Z-Wave
Thermostat



Z5SWPIOPlug-in Outdoor
Switch, Black



Z5SWPIDPlug-in Switch/
Dual Outlet



Z5DIMPIDPlug-in Dimmer/
Dual Outlet



Z50UTLET Outlet



Z5DIMMER Dimmer Z5SWITCH Switch Z53WSWITCH Auxiliary 3-Way Switch

**Canada 15

Security and Safety

DOOR/WINDOW CONTACTS



5800MINI 5800MINI BR Door/Window Contact CR2032*



5815/5815WG Door/Window Transmitter CR123*



5816WMWH **5816WMBR** Two Zone Door/Window Transmitter CR123*





5800RPS **Recessed Transmitter** 1620×



5818MNL **Recessed Transmitter**



5800MICRA Recessed Window Transmitter CR1620*

GLASSBREAKS AND SHOCK SENSORS



5853 Glassbreak Detector CR123 (2)*



5819S (White) 5819S-BR (Brown) **Shock Processor** and Transmitter

FLOOD PROTECTION



5800SS1 Shock Sensor CR2*

MOTION SENSORS



5800PIR PIR with Selectable Pet Immunity and Low Temperature Alert CR123*

5800PIR-RES Pet Immune PIR CR123*

5800PIR-COM

Light Commercial PIR with Low Temperature Alert CR123*

SOUNDER



5800WAVE Siren



5800FLOOD Temperature Sensor and Flood Detector CR123*



5821 Temperature Sensor and Flood Detector CR123*



5800PIR-OD2 Outdoor Motion Sensor I ithium*

OUTDOOR PROTECTION



58160D Outdoor Contact/ Transmitter Lithium*

T280R External Probe for Freezer and Refrigeration Monitoring

ASSET PROTECTION



5870API-WH 5870API-GY Indoor Asset Protection Sensor CR2 (1)*

REMOTE CONTROL KEYFOBS

FP280 External Probe for Flood Sensing



5834-4 5834-4EN (with plated bezel and key ring) Four-button Wireless **Key Transmitter** 3V. 210mAh*

PERSONAL PROTECTION



5802WXT One-button Personal Panic Transmitter CR2032*



5802WXT-2 Two-button Personal Panic Transmitter CR2032*

Life Safety



5806W3/ 5806W3A** Smoke Detector CR123*



5808W3/ 5808W3A** Smoke and Heat Detector with Low Temperature Detection CR123*



5809SS Rate-of-Rise Fixed Temperature Heat Detector CR123



5800CO/ 5800COA** Carbon Monoxide Detector CR123*



5800COMBO/ 5800COMBO-CN** Combination Smoke/Carbon Monoxide Detector CR123 (4)*

*Battery **Canada

resideo

For more information

resideo.com

Resideo Technologies, Inc.

2 Corporate Center Drive, Suite 100 P.O. Box 9040 Melville, NY 11747

L/RSSGDB/D | NM | 05/22 © 2022 Resideo Technologies, Inc.

Office: 1-800-645-7492

All rights reserved. The Honeywell Home trademark is used under license from Honeywell International Inc. This product is manufactured by Resideo Technologies, Inc. and its affiliates. Amazon, Alexa and all related logos are trademarks of Amazon.com, Inc. or its affiliates.